





ALUMINUM TIN COPPER PLATING TYPE BI-METALLIC

Material : Aluminum IS : 5082


Size mm ²	E	A	C	D	F	B	K	H	G	J	JS CAT NO.	Crim- ping Tools Code
2.5	3.2	2	5.5	6.6	3.5	7	3	4	4	18	JSBALS-151	JS-10
2.5	3.7	2.6	5.5	7	2.9	7	3	4	4	18	JSBALS-309	JS-10
4	4.2	2.9	5.5	7.2	2.6	7	3	4	4	18	JSBALS-115	JS-10
4	5.2	2.9	5.5	12	1.2	7	4	7	6	23	JSBALS-317	JS-10
6	5.2	3.5	5.5	7.5	2	7	4	7	6	24	JSBALS-158	JS-10
6	6.5	3.5	5.5	12	1.1	7	4	7	6	24	JSBALS-313	JS-10
10	4.2	3.8	6.2	8.4	2.4	7	4	9	8	28	JSBALS-159	JS-10
10	6.4	4.4	7.2	9.7	2.8	9	4	9	8	30	JSBALS-214	JS-10
10	8.2	4.4	7.2	15	1.8	9	4	9	8	30	JSBALS-215	JS-10
16	6.4	5.4	8.3	11.4	2.9	13	4	11	9	37	JSBALS-252	JS-50BS
16	8.2	5.4	8.3	11.4	2.9	13	4	11	9	37	JSBALS-216	JS-50BS
16	10.2	5.4	8.3	18	1.8	13	4	11	9	37	JSBALS-217	JS-50BS
25	6.4	7	9.7	13.7	2.7	16	7	11	10	44	JSBALS-253	JS-50BS
25	8.2	7	9.7	13.7	2.7	16	7	11	10	44	JSBALS-218	JS-50BS
25	10.2	7	9.7	20	1.7	16	7	11	10	44	JSBALS-219	JS-50BS
25	12.7	7	9.7	20	1.7	16	7	11	10	44	JSBALS-220	JS-50BS
35	6.4	8	10.8	15.4	2.8	18	7	11	11	47	JSBALS-254	JS-50BS
35	8.2	8	10.8	15.4	2.8	18	7	11	11	47	JSBALS-221	JS-50BS
35	10.2	8	10.8	20	2.1	18	7	11	11	47	JSBALS-222	JS-50BS
50	8.2	9.3	13	18.3	3.7	22	8	13	11	54	JSBALS-255	JS-120
50	10.2	9.3	13	23	2.8	22	8	13	11	54	JSBALS-312	JS-120



ALUMINUM TIN COPPER PLATING TYPE BI-METALLIC

Material : Aluminum IS : 5082

Size mm ²	E	A	C	D	F	B	K	H	G	J	JS CAT NO.	Crimping Tools Code
50	12.7	9.3	13	23	2.8	22	8	13	11	54	JSBALS-224	JS-120
70	8.2	11.4	15.6	22.3	4.4	26	8	13	13	60	JSBALS-256	JS-120
70	10.2	11.4	15.6	22.3	4.4	26	8	13	13	60	JSBALS-225	JS-120
70	12.7	11.4	15.6	22.3	4.4	26	8	13	13	60	JSBALS-226	JS-120
95	10.2	13	17.4	24.6	4.2	28	8	14	14	64	JSBALS-227	JS-120
95	12.7	13	17.4	24.6	4.2	28	8	14	14	64	JSBALS-228	JS-120
95	16.2	13	17.4	24.6	4.2	28	8	14	14	64	JSBALS-229	JS-120
120	10.2	14.7	19.6	28.2	4.6	32	11	15	15	73	JSBALS-257	JS-300H
120	12.7	14.7	19.6	28.2	4.6	32	11	15	15	73	JSBALS-230	JS-300H
120	16.2	14.7	19.6	28.2	4.6	32	11	15	15	73	JSBALS-231	JS-300H
150	10.2	16.5	21.5	30.9	5	34	11	17	17	79	JSBALS-258	JS-300H
150	12.7	16.5	21.5	30.9	5	34	11	17	17	79	JSBALS-232	JS-300H
150	16.2	16.5	21.5	30.9	5	34	11	17	17	79	JSBALS-233	JS-300H
185	10.2	18.5	24	34.6	5.5	36	12	18	18	84	JSBALS-311	JS-300H
185	12.7	18.5	24	34.6	5.5	36	12	18	18	84	JSBALS-234	JS-300H
185	16.2	18.5	24	34.6	5.5	36	12	18	18	84	JSBALS-235	JS-300H
240	12.97	21.3	28.2	40.6	6.6	44	14	22	22	102	JSBALS-236	JS-300H
240	16.2	21.3	28.2	40.6	6.6	44	14	22	22	102	JSBALS-237	JS-300H
300	16.2	24.1	31.2	44.2	7	47	14	27	27	115	JSBALS-300	JS-300H
300	20.3	24.1	31.2	44.2	7	47	14	27	27	115	JSBALS-259	JS-300H
400	20.3	27.1	35.7	51.5	8.5	56	13	31	30	130	JSBALS-260	JS-1000



ALUMINUM TIN COPPER PLATING TYPE BI-METALLIC

Material : Aluminum IS : 5082

Size mm ²	E	A	C	D	F	B	K	H	G	J	JS CAT NO.	Crimping Tools Code
500	20.3	30.2	41	58.7	10	60	15	33	32	140	JSBALS-296	JS-1000
625	20.3	35.2	46	66	10	69	16	35	34	154	JSBALS-261	JS-1000
800	---	39	51	73	12	77	25	39	39	180	JSBALS-318	JS-1000
1000	---	43.5	57	81.9	13.5	100	30	45	45	220	JSBALS-319	JS-1000